

RC-96 Patch Locations

Address	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	COMMENTS
001380	A5	3A	76	A4	F6	01	32	76	A4	CD	32	29	37	3E	00	32	
001390	98	A5	C9	17	00	00	00	00	00	00	00	00	00	00	00	00	1393 Start of CT 0
0013A0	00	00	00	00	00	00	00	00	17	00	08	00	00	00	08	00	13A8 Start of CT 1
0013B0	00	0C	00	00	00	08	00	00	10	00	00	00	08	17	00	08	13BD Start of CT2
0013C0	00	00	00	04	00	00	0C	00	00	00	04	00	00	10	00	00	
0013D0	00	04	17	56	13	00	00	34	08	00	56	13	00	00	34	08	13D2 Start of CT3
0013E0	00	0C	0D	00	00	34	08	17	15	0C	00	00	34	08	00	15	13E7 Start of CT4
0013F0	0C	00	00	34	08	00	1F	12	00	00	34	08	17	1F	12	00	13FC Start of CT5
001400	00	41	0A	00	45	15	00	00	90	06	00	01	1D	45	15	90	
001410	06	17	A2	0A	15	0C	68	10	00	A2	0A	74	08	68	10	00	1411 Start of CT6
001420	00	00	00	00	00	00	17	F3	0F	45	15	34	08	00	00	00	1426 Start of CT7
001430	00	00	00	00	00	00	00	00	00	00	00	17	A3	0A	00	00	143B Start of CT8
001440	34	08	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
001450	17	46	15	00	00	34	08	00	00	00	00	00	00	00	00	00	1450 Start of CT9
001460	00	00	00	00	00	7E	CD	64	19	23	06	06	11	B1	A4	CD	
001470	52	19	3E	01	32	B7	A4	AF	32	B8	A4	C3	B1	2D	3A	62	
001480	A4	E6	08	C2	A4	14	CD	AF	28	21	DC	05	22	B5	A4	21	1489 Start of LINK CT/ Change C2 to C3 to bypass beep and delay
001490	00	00	22	B7	A4	22	B3	A4	21	1F	0B	22	B1	A4	CD	B1	or Change to 00 00 for 0 Hz beep w/delay
0014A0	2D	CD	32	29	AF	32	97	A5	37	C9	2A	2E	A5	7D	B4	C0	